



ARDON® ENERDIG O2 ESD

WORKING SHOES



TECHNICAL SHEET



DRY AIR



NONMETALLIC



REFLECTIVE



DEFUSE
CONTROL



WATER
REPELLENT



ARDON® ENERDIG O2 ESD

WORKING SHOES

ARTICLE G3443

MATERIAL

Upper Recycled MICROFIBER + recycled mesh
Lining Recycled laminated breathable fabric MESH
Sole MD/TPU/rubber, cemented technology

Toe cap
Plate
Insole

Anatomic foam

SIZE 36-48

UNIT pair

PACKAGE

Units in a carton 10 pairs
Units in a box 1 pair

DIMENSIONS

Carton H x W x D
(cm)
Carton (cbm)

36-43

63 x 48,5 x 34

0,104

43-48

63 x 52,5 x 37

0,122

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm	-	238	244	251	258	264	271	278	284	291	298	304	311	318	-	-	-
Foot length cm	-	23,3	23,9	24,6	25,3	25,9	26,6	27,3	27,9	28,6	29,3	29,9	30,6	31,3	-	-	-

DESCRIPTION

Work shoe in a sporty design. The water-resistant upper is made of mesh textile and microfiber. The outsole, made from a combination of MD/rubber/TPU materials, ensures a soft step while also providing SR slip resistance. The main upper materials are made from recycled materials.

NORMS

(EU) 2016/425

EN ISO 20347:2022

Personal protective equipment – occupational footwear

Category O2 SR FO ESD

Categories	EN ISO 20347
E - energy absorption in the heel area	✓ 
FO - resistance to oils and fuels	✓ 
A - antistatic footwear	✓ 
SR - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓ 
The shoes do not contain metal parts	✓ 
Safety toe cap for toe protection	
P - resistance to punctures (protective insole)	
WPA – water penetration and absorption	✓ 
HRO - resistance to contact heatup to 300 °C	
HI-insulation of the bottom of the shoe against heat	
CI-insulation of the bottom of the shoe against the cold	
Splatters of molten metal	
ESD – shoe protects against electrostatic discharge and can be used on EPA premises	✓ 
-	
-	
-	





CODE	EAN	CARTON WEIGHT (KG)	UNIT WEIGHT (KG)
G3443/36	8592390379825	9.70	0.970
G3443/37	8592390379832	10.00	1.000
G3443/38	8592390379849	10.20	1.020
G3443/39	8592390379856	10.40	1.040
G3443/40	8592390379863	10.70	1.070
G3443/41	8592390379870	10.90	1.090
G3443/42	8592390379887	11.50	1.150
G3443/43	8592390379894	11.60	1.160
G3443/44	8592390379900	12.20	1.220
G3443/45	8592390379917	12.40	1.240
G3443/46	8592390379924	13.10	1.310
G3443/47	8592390379931	13.40	1.340



ARDON®
WORKWEAR
OUTDOOR





ARDON®
WORKWEAR
OUTDOOR



TECHNICAL SHEET